

**UV** Curing Resin

## **Section 1: Identification**

**PRODUCT INDENTIFIER:** UV Curing Resin

CHEMICAL FAMILY: Ultraviolet (UV) glue

**EMERGENCY PHONE:** 00353 1809 7733

MANUFACTURER: Glass Polish Ltd

Ratoath Road D15 E2FP Ireland

## Section 2: Hazard(s) Identification

GHS CLASIFICATION:	Skin corrosion/irritation (Category 2) Eye irritation (Category 2) Skin sensitization (Category 1)
PICTOGRAM(s):	
SIGNAL WORD:	Warning
HAZARD STATEMENTS:	Hazard Statement(s): H315 - Causes Skin Irritation H317 - May cause an allergic skin reaction H319 - Causes Serious eye irritation
PRECAUTIONARY STATEMENTS:	Preventions: P261-Avoid breathing dust/fume/gas/mist/vapors/spray. P264- Wash skin thoroughly after handling. P272-Contaminated work clothing should not be allowed out of the workplace P280- Wear protective gloves/protective clothing/eye protection/face protection.  Response:  P284- P403+P233-Store in a well-ventilated place. Keep container tightly closed. P301+312- IF SWALLOWED: call a POISON CENTER or doctor/physician IF you feel unwell. P301+P330+P331- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.



**UV Curing Resin** 

P302+352- IF ON SKIN: wash with plenty of soap and water.

P305+P351+P338- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321- Specific treatment (Immediately flush eyes with plenty of water for 15 minutes while holding eyelids open. Rinse continuously with water while on way to get medical attention).

P322- Specific measures (Immediately remove contaminated clothing or shoes, wipe excess from skin and flush with plenty of water for at least 15-minutes. Use soap if available or follow by washing with soap and water).

P333+P313-IF SKIN irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention

P363- Wash contaminated clothing before reuse.

#### Storage:

P405- Store locked up.

#### Disposal:

P501- Dispose of contents/container to Federal, State and Local Regulations.

## **Section 3: Composition/Information on Ingredients**

COMPONENT(S)	CAS NO.	<u>%</u>
Polyurethane-acrylate prepolymer	68987-79-1	20-30
Epoxy acrylate prepolymer	71281-65-7	30-40
Acrylate monomer	13402-02-3	10-20
Acrylate monomer	29324-02-3	10
Photoinitiator A	947-19-3	<1
Photoinitiator B	75980-60-8	1-3

#### **Section 4: First-Aid Measures**

**SKIN CONTACT:** Immediately rinse with plenty of water for at least 15 minutes. Seek medical attention.



**Curing Resin** 

SKIN CONTACT: Wash immediately with soap and plenty of water, those with skin allergies

should stop contact and seek medical help.

INHALATION: Move person to fresh air. If you still feel unwell, seek medical advice

immediately.

EYE CONTRACT: Immediately rinse with plenty of water for at least 15 minutes. Seek medical

attention.

#### **Section 5: Fire-Fighting Measures**

FLAMMABILITY OF THE

Flash Point 115°C (239 °F).

**PRODUCT:** 

**SELF IGNITION** N.A.

**TEMPERATURE:** 

**EXTINGUISHING MEDIA:** Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Suitable:

UNURUAL FIRE OR Uncontrolled polymerization at high temperatures can lead to explosion

**EXPLOSION:** or rupture of the bottle..

SPECIAL EXPOSURE

**HAZARDS:** 

Do not enter fire area without proper protective equipment, including

respiratory protection.

HAZARDOUS Carbon dioxide, nitrogen oxides, phosphorus oxides, sulfur oxides and

COMBUSTION PRODUCTS: irritating organic gases

#### **Section 6: Accidental Release Measures**

**PERSONAL PRECAUTIONS:** No action shall be taken involving any personal risk or without suitable

training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not get in eyes and avoid

contact with skin. Keep container tightly closed.

**ENVIRONMENTAL** Use sand or other suitable inhibitor to prevent spread or entry into

**PRECAUTIONS:** sewers, drains or rivers.

**METHODS for CLEANING** 

UP:

Clean up or eradicate under normal circumstance.



#### **UV** Curing Resin

## **Section 7: Handling and Storage**

Use in a well-ventilated area. Do not get into eyes. Prevent skin irritation. Not to be **HANDLING:** 

taken internally. Clean up after operation.

Store in cool, dry and dark conditions between 8-25°C (46-75°F). Keep container STORAGE:

sealed and avoid water and moisture during storage.

6 months **SHELF LIFE:** 

## **Section 8: Exposure Controls/ Personal Protection**

PERSONAL PROTECTION: Avoid all unnecessary exposure.

**RESPIRATORY:** Wear approved mask.

Wear protective gloves. **HANDS:** 

**EYES:** Chemical goggles or safety glasses.

Chemical goggles or safety glasses. **OTHER:** 

## **Section 9: Physical and Chemical Properties**

PHYSICAL FORM: Transparent, viscous	COLOR: Colorless and transparent	
SPECIFIC GRAVITY (H <sub>2</sub> O=1): 0.92-0.99	ODOR: Irritating odor before curing	
VAPOR PRESSURE at 25°C (75°F): N.A.	<b>FLASH POINT:</b> 115°C (239 °F).	
RELATIVE VAPOR PRESSURE: N/A	SHORE D HARDNESS: 78	
SOLUBILITY: Insoluble in water, soluble in organic solvents	VISCOSITY (mPa.s 25°C): 200-300	



## Safety Data Sheet UV Curing Resin

Section 10: Stability and Reactivity

**STABILITY:** Exposure to light and high temperatures affect stability.

**HAZARDOUS POLYMERIZATION:** Under normal conditions of storage and use, hazardous

polymerization will not occur.

**CONDITIONS TO AVOID:** High Temperature.

MATERIALS TO AVOID: Strong oxidizing substances, strong acid, strong alkali

HAZARDOUS DECOMPOSITON

**PRODUCTS:** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Decomposition products may include the following materials: carbon oxides, sulfur oxides, nitrogen oxides, phosphorus oxides and other organic gases.

## **Section 11: Toxicological Information**

This product is a non-volatile, non-carcinogenic material	LD50>3000 mg/kg
---	-----------------

#### **Primary Irritant Effect**

Skin:	Irritant to skin (mainly acrylates)
Eye:	Irritating effect.
Sensitization:	Sensitization possible through skin contact.
Additional toxicological information:	This product has low toxicity



# Safety Data Sheet Curing Resin

#### **Section 12: Ecological Information**

ENVIRONMENTAL EFFECTS: Avoid direct discharge before curing; after curing, it is a typical polymer, which has no direct harm to the environment.

#### **Section 13: Disposal Considerations**

WATSE DISPOSAL: Must not be disposed together with household garbage. Do not allow product

to reach sewage system.

Collect all waste in suitable and labeled containers and dispose according to

local and federal legislation.

#### **Section 14: Transportation Information**

CFR_GROUND	Not regulated
IATA_C	Not regulated

#### **Section 15: Regulatory Information**

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **Section 16: Other Information**

#### 16.1 NFPA 704



Top, Flammability: 0 - Minima Hazard

Left, Health Hazard: 1 – Slight Hazard

Right, Reactivity: 0 – Minimal Hazard

Bottom, Special Notice: N/A



## Safety Data Sheet UV Curing Resin

#### **Disclaimer:**

Glass Polish Ltd. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

GLASS POLISH LTD. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, GLASS POLISH LTD. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.

DATE REVISED: 7/08/2024 DZ